

SURGEON

User Handbook

 **Nightingale**



1864 Series

nightingalechairs.com

Congratulations, this Surgeon Console is yours.

Please read and understand this user handbook
before operating this office chair.



Using & Adjusting Your Surgeon Console



A

Adjustable Back

Built-in ratchet system for back height adjustment and self adjusting lumbar support.



B

Automatic Adjustment

Self-adjusting, concave armrests built into back with spring system to allow automatic adjustments.



C

Pneumatic Height Adjustment

To lower, tilt the lever down while seated. To raise, tilt the same lever up with no weight on seat.



D

Seat Slider

Lift lever up to unlock, move seat to desired position while seated and release to lock.



E

Multi-Position Tilt Lock

To lock in position, tilt lever down. To unlock, tilt lever up. Gently lean into back to activate the positive back lock release.



F

Optional Adjustable Foot Ring

To loosen, turn wheel counter-clockwise and move ring to desired height. Turn clockwise to tighten.

Care Instructions

With regular care and maintenance, your Surgeon Console will provide many years of superior performance and satisfaction. To maintain the quality of your Nightingale product, please follow the cleaning instructions outlined here.

Fabric

Clean with mild detergent and water applied with a clean damp cloth or sponge. Rinse with a damp (water) cloth and let dry. Never use hot water and avoid scrubbing. Use gentle movements.

Plastic Parts

To clean, spray with a mild detergent and wipe off using a damp (water) cloth. Do not use abrasives or excessive amounts of cleaner.

Frame

Powder coat frames can be cleaned by wiping with a damp cloth and any mild detergent.

*The instruction for the care and maintenance of Nightingale Products are provided to you as a service. No warranty is implied since results may vary.

FOR MORE INFORMATION, PLEASE VISIT

www.nightingalechairs.com



Nightingale Corp.

T 1.800.363.8954

F 1.800.637.6784

www.nightingalechairs.com

info@nightingalechairs.com



RECYCLABLE